



# Miller Large Wrecker

**Options & Features**

Walk-Around 2014

# Electrical and Lighting Options

# MMO System

Standard on 7035, 9055 and 1140- 1075S Rotators  
Optional – 4024, 5130, 5230, V-50, V-70 and V-100, 1130



Three Solid-State mVECS for wiring junctions, Located in drivers side forward toolbox or on the turret for a Rotator.

Also new R260 remote receiver in same location, no external antenna




Two multi-function backlit touch-screen displays  
(1 in the cab, 1 at the rear controls)

# Wireless Remote System

- 4024, 5130 & 5230 – 8 Function Underlift Remote Standard  
Optional 14 Function Available
- 7035, 9055 – 14 Function Underlift & Boom Remote Standard
- All Rotators – 8 Function Underlift Remote Standard
- 3212 – Option to upgrade to the 14 Function Boom and Underlift Remote  
(Standard with Passenger Side Wired Lanyard Underlift Remote)



# MMGO System (Rotators)



2 touch screens are standard with an MMO and MMGO system. But only the rear display shows load information with the optional MMGO system.

# Raptor Remote



Optional on all rotators 1130-1075  
Standard on 1150R  
Includes Load Sensing Information

# Century MMO & Remote Availability

| Description                       | 3212      | 4024/5130/5230   | 7035/9055        | 7035XP/<br>9055XP | 1060 Stick       | 1130/1140/1150/<br>1060S/1075S |
|-----------------------------------|-----------|------------------|------------------|-------------------|------------------|--------------------------------|
| 8 fxn wireless remote only        | x         | <b>124004519</b> | x                | x                 | <b>124004519</b> | 124004519                      |
| 8 fxn remote and MMO power dist   | x         | 124004537        | x                | x                 | 124004537        | <b>124004510</b>               |
| 14 fxn wireless remote only       | 124004618 | 124004584        | 124004584        | x                 | x                | x                              |
| 14 fxn remote and MMO power dist  | x         | 124004511        | <b>124004511</b> | x                 | X                | x                              |
| XP MMO Power dist. and remotes    | x         | x                | x                | <b>124004512</b>  | X                | x                              |
| XP Omit Power Dist (incl remotes) | x         | x                | x                | 124004600         | X                | x                              |
| 8 fxn remote and MMGO power dist  | X         | X                | X                | X                 | X                | 124004509                      |

Red=Standard

# Air PTO Override

124002680 (Sgl-Acting) 4024-9055, XP

124002681 (Dbl-Acting) All Rotators

Double Acting



Allows for manual PTO engagement if there is an electrical failure.



Air Electric PTO: 129003010  
Hot Shift PTO: 129003011



Left – Single Action – also shows the yellow knob for the pusher axle air pressure adjustment.



# Flasher Control Power Unit

124004140 - All Models



Video

Five wire hookup-Requires LED lights-10A maximum

Flashes all marker lights on the wrecker body

# LED Strip Lamp Kits



Fits all '02 and newer aluminum toolboxes

124004215 - 180" CB Rotator (All Outriggers)

124004217 - 3212 CX 138CA

124004411 - 3212 CX 120CA

124004218 - Standard 3212 (84" Body)

124004219 - 138" CA

124004220 - 206" CA/180" CB

124004225 - 156" CA

124004216 – Tandem Rotator Strip Marker Lights

124004226 - 182" CA/156" CB

124004227 - 230" CA/204" CB

124004221 - 24" Tunnel

124004222 - 30" Tunnel

124004223 - 36" Tunnel

124004224 - 48" Tunnel

124004244 - 40" Above Rails Box (Tandem Steer)

# Round LED Underlift Lamps

124004448 (pair) All Models - includes bracket




# Swivel Lamps

124004644 (pair) - All Models



# Front Outrigger Docking Lights

124004523 (pair)



# LED Side Light

124004629 (pair)



Also functions as marker light & flasher light  
when used with Flasher Control Power Unit

# LED Under Body Strip Light Kit

124004649 (set of 6)



# LED Flashing Warning Door Light Kit

124004627






# Lumetic Boom Scene Light

124004628



# White LED Toolbox Strip Lights

Now standard on all units V30/3212 and larger



Retrofit kits available for 2002 and newer HD Bodies – 0311394

Minimum Order is 6 and then in groups of 3 (6,9,12, etc)



# Additional Tunnel Box LED Light Kit

0911911 (2 strips)



Available for 1075SDH

# Whelen LED Micro-Edge Pod

124002708 (pair)

Offered with and without brackets



For Rotator top-beam front  
outrigger, use 124002812-  
includes bracket



Whelen 72" 16-Head LED Lightbar

124002710 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail



Whelen 60" 8-Head LED Lightbar

174001984 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail



Whelen 60" 4-Head LED Lightbar

124002711 - 4 Corner Amber, Halogen Work Lights, Brake-Turn-Tail

# M6 Clear Lens Amber LED

124004444 (pairs)



# Additional Lighting Options

LED Flex Lamp Kit

124004452 (pair)



LED Dominator Lamp Kit

124004449 (pair)



**Pylons**



# Optional Aluminum Tubular Pylons

3212 - 33" - 124002677



CX2 body - 42" - 124004117



# Optional Aluminum Tubular Pylons

38" - 124003003

Shown with 2 pairs 124004444 (M6)



51" - 124003005



Fold Down Light Bracket - 124002704



Aluminum Tubular Pylons can be painted if desired

# Optional Aluminum Tubular Pylons

43" – 124004475



38" – "Double Stack"  
124004254



Allows for two light bars



For use with Peterbilt & Kenworth Extended Day Cabs



Kenworth



Peterbilt

# Stylized Pylons

38" – 124004459

41" – 124004498

48" – 124004508

Pylon includes a 72" 16 Head LED Lightbar



# Vulcan HD Pylons

37" – 124002740




47" – 124003001



# Optional Aluminum 3" Pylon Spacer

124002678



# Pylon Wings

124002478 (pair)



Models 5130/5230

Does not Fit the 2009 38" Pylon, 124004254

Fits the 3003 & 3005 Pylons

Does not include lights

# Rotator Aluminum Tubular Pylon

124004150 (no swivel required) 1130/1140/1060 Fixed  
145002813 (includes collector ring) 1150-1075



Can be painted if desired



# **Stainless and Dress-Up Options Saddle Tunnel and Tool Boxes**

# Tailboard Dress Up Kits

## Diamond Plate

4024 – 124002464

5130, 5230 – 124002402

7035, 9055 – 124004072

Rotator- 124002595



## Smooth

4024 – 124002464S

5130, 5230 – 124002402S

7035, 9055 – 124004072S

Rotator- 124004462



Adding Optional D-Rings will not affect the Part Number

# Stainless Cylinder Wrap Kit

124004576



Available on 9055 & 1140

# 1 1/4" Handrail Kit

124002512



# PolyBilt Body Option

Tandem CBs - 156, 180, 204 or 228

Tri-Axle CBs - 180, 204 or 228

Body Shown with Optional Lighting



# Century Crossover Tunnel

124004446

Crossover Boxes are available on the following bodies.


4024 – 156" CA and Larger

5130 – 182" CA / 156" CB and Larger

5230 – 156" CB and Larger

7035 – 180" CB and Larger


9055 – 180" CB and Larger



# 3212 Stainless Kit

CX2 – 120" and/or 138" CA

124002613



Standard Body

124002612



Tunnel Box Stainless Shown is Sold Separately

# Stainless Kits



2-Door - 124002611

Tunnel Box Stainless Shown is Sold Separately



3-Door – 124002613



4-Door - 124002614



Rotator - 124002610

Rotator Kit will Fit both Standard and H-Beam

Tunnel Box Stainless Shown is Sold Separately





24" Tunnel  
124004384 (4024 and larger)  
614-070800 (3212 & 600R)  
Stainless Kit 124004403



30" Tunnel Box  
124004386  
Stainless Kit 124004402



36" Tunnel Box  
124004387 (4024 and larger)  
6114-071800 (3212 & 600R)  
Stainless Kit 124004256



48" Tunnel Box (Door)  
124004389 (4024 and larger)  
Stainless Kit 124002633



124004538 (3212 or 600R)  
Stainless Kit 124002633

# Toolbox Options

Polished Rails



The Rails are polished from the front to the rear, stopping at the top taillight.

Not Available on PolyBilt Body

Stainless Fenderettes (each)

124004593



(3 Shown)



# Kenworth RH Dummy Stack

4024-1075

124004499



# Forks & Attachments

# Fork Kit

Standard on:

4024, 5130, 5230, 7035, 9055, 1130, 1140, 1150, 1150R, 1060, 1060S, 1075S2, 1075S



Forks come in Black Primer for Parts Orders

# Additional Lift Forks & Attachments

Spring Lift Adapter  
124001389 (pr)



Fork Reducer  
124002430 (pr)



Optional on All Models

Standard on:

4024, 5130, 5230, 7035, 9055,  
1130, 1140, 1150, 1150R, 1060, 1060S, 1075S2, 1075S

# Additional Lift Forks & Attachments

6 ¾ Curved Fork  
124004513



Volvo Fork  
124002615




King Pin Tow Plate Recovery Loop  
9401902



# Short Axle Fork Kit

Standard on all units 3212 and larger- 124004454






# Bus Lift Eye Attachment

124002634 (pr)  
Optional on All Models



# U-Bolt Adapter

124002632 (pair)  
Optional on All Models,  
Suggested 5130 and Larger Only



Rear Tows Only!

# Additional Crossbar Attachments

Offset Fork Holder (pr)



Standard on 5130 and Larger Units  
5" Crossbar – 124001718

Standard on 4024  
4" Crossbar - 124002515

Standard on 3212  
3212 Crossbar - 124002516

Riser Bracket (pr)



Standard on ALL Rotators  
Optional on all other Models

4" Crossbar – 124001724

5" Crossbar – 124001514

3212 Crossbar - 124004078

Hook End Cap (pr)



Standard on 5130 and Larger Units  
5" Crossbar – 124001420

Standard on 4024  
4" Crossbar - 124002048

Standard on 3212  
3212 Crossbar - 124002517

# Offset Fork Holder Extension

124002230 (pr)



Optional on All Models, Suggested 5130 and Larger Only

# Chain Hook Adapters

124002229 (lh/rh pr)



Optional on All Models,  
Suggested 5130 and Larger Only

# Pintle Hook, Tow Ball, & 5<sup>th</sup> Wheel Attachment for 3212

124002645



# Pintle Hook Kit

124002211

Optional for 4024 and Larger Units



# King Pin Attachment Kit

124001948



Requires 124002211 Pintle Hook Kit

Optional for 4024 and Larger Units



# 5<sup>th</sup> Wheel Adapter Kit

124001833



Requires 124002211 Pintle Hook Kit  
Optional for 4024 and Larger Units  
For Empty Trailers Only-24K Capacity

# Additional Attachments

Tow Ball Adapter  
124002431



Shown with Optional Convert-a-Ball Shank

Converter Ball  
174017093



Includes Adapter Shank Shown on the Tow Ball Adapter




Requires 124002211 Pintle Hook Kit



# Euro Bus Lift

124002467 Optional on 5130 and Larger units, 5" x 5" crossbar



# Bus Lift

124001914 - 5x5 Crossbar (5130 and Larger)  
124002033 - 4x4 Crossbar (4024)



# XHD Tire Lift

Optional for 35 Ton Units and SDU-4 Underlifts  
New Unit - 124002808



## Field Retrofits

124002853 – Century - Includes XHD 5x5 Crossbar

124004081 – Vulcan – Includes XHD 5x5 Crossbar

For units already having a 5x5 Fabricated Crossbar

123002808 – Century and Vulcan

# Bus Lift Storage System

124002587 For 5x5 Crossbar  
Optional on 5130 and Larger Units  
Does not fit Rotator Boxes



Can be used with both 124001914 (Heavy Duty) and 124002808 (Extra Heavy Duty) lift systems

# External Bus Lift Storage System

124004380 For 5" x 5" Crossbar  
Optional on 5130 and Larger Units



Can be used with both 124001914 (Heavy Duty) and 124002808 (Extra Heavy Duty) lift systems

# 6,000 lb. L-Arm System

124001738 For 5x5 Crossbar  
Optional on 5130 and Larger Units



124002416 for a 4x4 crossbar in a 4024



# Rear Outrigger Options

Grater Blade Attachment (pr)

124002401



D-Ring Kit (pr, 12x15 Spades)

124002537



Rear Spade Extension (each)


124002618



For Use with 4024, 5130, 5230, 7035, 9055 without the Optional Outriggers

# Ground Penetrating Plate

124004091



Fits Rotator, Integrated, and XP units  
Sold each, includes a pin

# Accessories

# Wide Load Bars

36" Wireless LED

124004494



Includes 7 Way Plug-in Transmitter

36" Wired LED

174019036



Requires Light Cord (60') – Part Number 174019036

# Safety Chain Roller Kit

Integrated Version - 124004450 - Optional All Models  
Rotator Version – 124004473- (N/A with Dual H-Beam)



Allows for quicker retrieval and return of safety chains into the safety chain pockets

# Chain Rack Carousel

124004658




Available for 9055 (3-Stage), 1130, 1140, 1150, 1150R, 1150RXP, 1060S, 1075S, 1075S2, and 1075SDH  
Requires 36", 36" Tandem Steer, or 48" Tunnel Box

# Dual Reverse Camera

124004442 - Optional on All Units

Includes the color screen inside the cab.



Rotator Placement



KW Nav Harness for Camera - 0312414



Century Integrated Placement

# Tailboard Remote

124001979 - Optional on All Units



Rocker switch style replaces push-button style



# Lighted Controls – Integrated Units

124002796- Factory Install or Field Retrofit



Lighted controls for **XP UNITS** are available as  
124002815 for Factory install or 124002813 for Field Retrofit

# Optional Color Control Handle Kit

124004470- Factory Install or Field Retrofit



Includes enough colored handles to do both sides of a large unit from 4024 through a 6-winch Rotator

**Shackles, Straps, Chains,  
Snatch Blocks  
and Related Items**

# Washable Chain Box

124002698



Optional on 4024, 5130, 5230, 7035, 9055, and 1060 Units

# Alloy Screw-Pin Shackle Kit

124004083 - The shackle kit was made to fit with the Endless Loop Strap Kit (124002697, Sold Separately)

## Kit Includes:

- 2 ea) 1 1/4" Alloy Master Links 18 Ton
  - 2 ea) 1" Alloy Screw-Pin Shackles 8 1/2 Ton
  - 6 ea) 1 1/4" Alloy Screw-Pin Shackles 12 Ton
  - 2 ea) 1 1/2" Alloy Screw-Pin Shackles 17 Ton
- All Made in USA



Optional on all models

# Endless Loop Strap Kit

124002697



| COLOR CODE | CAPACITIES IN POUNDS |        |        | MINIMUM LENGTH | INCLUDES TWO EACH |
|------------|----------------------|--------|--------|----------------|-------------------|
|            | VERTICAL             | CHOKER | BASKET |                |                   |
| YELLOW     | 8400                 | 6720   | 16800  | 3 FT           | 4 FT, 6FT         |
| RED        | 13200                | 10560  | 26400  | 3 FT           | 8 FT, 12FT        |
| BLUE       | 21200                | 17000  | 42400  | 6 FT           | 12 FT, 16 FT      |




Optional on all models

(124004521 is the same kit but without the blue straps, for 3212)

# Chain Kit

124004661



**Miller G80 & G100 Chain Kit**

- (2) Grade 80 / 5/16" x 10' Chains with Cradle Grab Hooks  
WLL: 5,000 lbs.
- (2) Grade 80 / 5/16" x 20' Chains with Cradle Grab Hooks  
WLL: 5,000 lbs.
- (2) Grade 80 / 3/8" x 10' Chains with Cradle Grab Hooks  
WLL: 7,100 lbs.
- (2) Grade 80 / 3/8" x 20' Chains with Cradle Grab Hooks  
WLL: 7,100 lbs.
- (2) Grade 100 / 1/2" x 10' Chains with Non-Cradle Grab Hooks  
WLL: 15,000 lbs.
- (2) Grade 100 / 1/2" x 20' Chains with Non-Cradle Grab Hooks  
WLL: 15,000 lbs.
- (2) Grade 100 / 5/16" - 3/8" Ratchet Binders / WLL: 8,800 lbs.

Optional on all models, suggested for 4024 and Larger Units

(124002523 is the same kit but without the 1/2" chains, for use with 3212)

# 5/8" GR100 Chain Kit

124002820



Includes two each 5/8 GR100 10' and 15' long with a grab hook on each end

Optional on all models, suggested for 1075S and 1075S2



# 3/8" EDOG Eliminator GR100 Chain Bridle

124004153



Optional on all models

# 1/2" EDOG Eliminator GR100 Chain Bridle

124004588



Optional on all models, suggested for 9055 and Larger Units

# 1/2" GR100 Foundry Hook Kit

124004156 (2 Hooks, 2 Shackles)



Optional on all models - Does not include the Blue Chain

# Alloy Snatch Blocks

8 Ton - 124001058



Optional on all models

Suggested for units with 35K and smaller winches

12 Ton - 124001886



Optional on all models

Suggested for units with 50K and Larger Winches

**Made in USA**

4-Ton (174017214) Johnson Snatch Block is also available for 3212/V-30

# Spreader Bar



124004417 (each)

Can be configured for 100", 105" and 110" lengths



Short Spreader Bar Tube –

Allows for 58", 63" and 68" lengths

124004469 (each)



Shown with optional shackles and straps



Optional Mounting Kit - 124004426

# End Cap Storage

124004615



# Swivel Equalizer

124004471 – 17 Metric Tons (37,400 lbs.)



This attachment features a bearing that allows you to easily rotate a load, making it an ideal attachment to use with a rotator when trying to position equipment or machinery.

# **Tool Compartment Organization and Storage**



# Rigging Storage Bar

124004132 (ea)



Can be used in all large tunnels – snatch blocks sold separately

# Dual Snatch Block Storage Kit

124004463 (ea)



Can be used in all large boxes, snatch blocks sold separately.  
2 kits shown, each kit contains 1 top and 1 bottom bracket

# Shackle and Accessory Hanger Kit

124004414



Includes 5 hangers - does not include shackles

# Tunnel Box Attachment Storage

124004539



Attachments and Spreader Bar Tube Storage Not Included.  
Works in 36" and 48" Tunnel Boxes

# Tunnel Box Fork Storage

36" Tunnel Box - 124004540



48" Tunnel Box - 124004541



Forks and attachments shown are not included

# Water Tank Kit

124004635



# Telescoping Ladder


124004656



# Modular Toolboxes



3-Drawer 124002667



4-Drawer 124004166



Modular toolboxes supersede the previous 3-drawer and replace the 124002668 7-drawer boxes.

These new boxes can be combined to make 6, 7, 8, or 9-drawer boxes-or any other combination of drawers.

They fit all bodies 4024 and larger.





# Tunnel Box Shelf Kit

48" Box – 124004131

36" Box – 124002844

30" Box – 124004528



Straps, lumber, and oil dry shown not included

Chains, rack, and attachments sold separately

# Tunnel Box Chain Rack

48" – 124004130

36" – 145002869



Chains and attachments sold separately

# Additional Options

Air and Electric Storage Kit

124004258



Optional on All Units

Includes 2 red and 2 blue coiled air lines with fittings, coiled electric cable and storage rack.

Boom Angle Indicator

124002468 – Integrated

124002440 – 1060

Standard on All Rotators



# Extendable Rear Spades

3212 & V 30  
Manual Extension



4024, 5130 and 5230  
7035 and 9055  
Hydraulic Extension



# XP Add-Ons

# XP Standard Pylon

124002830



Shown with optional lightbar and lights

# XP Aluminum Tubular Pylon

124004193



# XP Spade (each)

124002619





# XP & RXP Bus Lift Storage System



124002525 for XP



124004190 for RXP

Can be used with both 124001914 (Heavy Duty) and  
124004079 (Extra Heavy Duty) lift systems

# SP Side Pullers

# SP 12,000 Sidepuller

124003034



Requires an additional 19" CA for Wreckers

# SP 20,000 Sidepuller

124002731



Requires an additional 27" CA



# Rotator Options

# Rotator Controls By Model - 1130

1130

## Standard Controls

Manual Controls for Boom Functions  
Manual Control for All Outriggers  
Wireless Underlift Remote  
Non-Backlit Control Station

## Optional Controls

Proportional Controls with Wireless Boom Controller  
Control Stations are Backlit  
Electric Outrigger Controls  
Passenger Side Manuals Controls Now Optional

## Optional Winches

35K Main Winches Upgrade

Not Available with Turret Drag Winches

Optional 25K Belly Drag



# Rotator Controls By Model - 1140

1140

## Standard Controls

Manual Controls for Boom Functions  
Wireless Underlift Remote  
Manual Control for All Outriggers  
Non-Backlit Control Station  
(Room for 1 Optional Auxiliary Drag Winch)

## Optional Controls

Proportional Controls with Wireless Boom Controller Control  
Stations are Backlit  
Electric Outrigger Controls  
(Up to 3 Auxiliary Winches)

## Optional Winches

Optional 35K or 50K Belly Drag

Or

Dual 15K Turret Drag Winches (Requires Optional Controls)

Dual 15K Turret Drag Winches with a 35k/50K Belly Drag  
(Requires Optional Controls)

RXP

## Standard Controls

Manual Controls for Boom Functions  
Wireless Underlift Remote  
Manual Control for All Outriggers  
Non-Backlit Control Station  
(Belly Drag Not Available with Standard Controls)

## Optional Controls

Proportional Controls with Wireless Boom Controller Control  
Electric Outrigger Controls  
Stations are Backlit  
(Up to 3 Auxiliary Winches)

## Optional Winches

Optional 35K or 50K Belly Drag

Boom Turret Drags Not Available with the RXP Option

# Rotator Controls – 1150, 1060S, 1075S & S2

## Standard Controls

Manual Controls for Boom Functions  
Wireless Underlift Remote  
Manual Control for All Outriggers  
Non-Backlit Control Station  
(Room for 1 Optional Auxiliary Drag Winch)

## Optional Controls

Proportional Controls with Wireless Boom Controller Control  
Electric Outrigger Controls  
Stations are Backlit  
(Up to 4 Auxiliary Winches)

## Optional Winches

Optional 35K or 50K Belly Drag or Dual 35K Winches

And/or

Dual 22K Turret Drag Winches



# Rotator Standard Controls

1130, 1140, 1060S, 1075S



Allows for a maximum of 1 deck drag winch. Not available with two or more auxiliary winches. Includes manual control handles for all outriggers

# Rotator Proportional Lighted Controls

New Units See Matrix

Includes LH Only Manual Controls-Includes Panels For Both Sides As Shown  
(Also Available As A Field Retrofit Kit 124002824)



Driver Side



Passenger Side

Proportional Controls Include electric control switches for all outriggers

# Optional Passenger Side Manual Lighted Controls Upgrade

A Proportional system is required for use with this add-on option

New Units 124002803

(For Field Retrofit Use 124002800 -Only Includes Lighted Panels For Both Sides)



This option adds manual controls to the passenger side and replaces the panels as shown on the lower right of the previous slide.

# Colored LED Control Lamps



Standard on all lighted proportional control rotators.

Optional on all Integrated units.

Has colored LED lamps to identify switch functions.

Optional Colored control handles also shown

# Rotator Controls Matrix

Determine which model in the red, then choose the number of drag winch(es) desired in black for that model. Continue to the right on the same line and select one of the numbers in the either of the green columns, the first number is for non-lighted controls, the second pair is for lighted/proportional controls. Based on your selection, you will need all the part numbers listed in that row in the blue boxes. To add manual/lighted controls to the passenger side, you need to add 124004484 to your proportional controls.


| Model            | Number of Drag Winches | Standard Controls, Non-Lighted | Proportional Controls, Lighted | 25k Drag  | 35k Drag  | 50k Drag  | Dual 35K Drag | 50k Drag  | Dual 35K Drag | Dual 15K Turret 1140 | Dual 22K Turret 1060S or 1075S/1075S2 |
|------------------|------------------------|--------------------------------|--------------------------------|-----------|-----------|-----------|---------------|-----------|---------------|----------------------|---------------------------------------|
| 1130             | 0                      | 124004211                      | N/A                            | -         | -         | -         | -             | -         | -             | -                    | -                                     |
| 1130             | 1                      | 124004211                      | N/A                            | 124004229 | -         | -         | -             | -         | -             | -                    | -                                     |
| 1140             | 0                      | 124004208                      | 124004482                      | -         | -         | -         | -             | -         | -             | -                    | -                                     |
| 1140             | 1                      | 124004208                      | 124004482                      | -         | 124002628 | -         | -             | -         | -             | -                    | -                                     |
| 1140             | 2                      | N/A                            | 124004482                      | -         | -         | -         | -             | -         | -             | 124004201            | -                                     |
| 1060S/1075S/1150 | 0                      | 124002588                      | 124004482                      | -         | -         | -         | -             | -         | -             | -                    | -                                     |
| 1060S/1075S/1150 | 1                      | 124002588                      | 124004482                      | -         | 124002628 | -         | -             | -         | -             | -                    | -                                     |
| 1060S/1075S/1150 | 1                      | 124002588                      | 124004482                      | -         | -         | 124002623 | -             | 124004429 | -             | -                    | -                                     |
| 1060S/1075S/1150 | 2                      | N/A                            | 124004482                      | -         | -         | -         | 124002600     | -         | 124004415     | -                    | -                                     |
| 1060S/1075S/1150 | 2                      | N/A                            | 124004482                      | -         | -         | -         | -             | -         | -             | -                    | 124004214-1060S<br>124004212-1075S    |
| 1060S/1075S/1150 | 3                      | N/A                            | 124004482                      | -         | 124002628 | -         | -             | -         | -             | -                    | 124004214-1060S<br>124004212-1075S    |
| 1060S/1075S/1150 | 3                      | N/A                            | 124004482                      | -         | -         | 124002623 | -             | 124004429 | -             | -                    | 124004214-1060S<br>124004212-1075S    |
| 1060S/1075S/1150 | 4                      | N/A                            | 124004482                      | -         | -         | -         | 124002600     | -         | 124004415     | -                    | 124004214-1060S<br>124004212-1075S    |

1150R requires Raptor Package

# Dual 22K Turret Drag Winches

124004212 - 1075S, 1075S2 and 1150


124004214 - 1060S and 1150



For customers who may want to add the dual turret winches at a later date, factory provisions can be added on a new unit, contact the factory for details.

# 22K Side Winch Dress Up Kit

124004533 (pairs)



Kenworth or Peterbilt emblem shown is not included

# Dual 15K Turret Drag Winches

124004201 for (1140 Only)

An 1140 can have the following winch combinations:

2 Main Winches

2 Main Winches and 2 - 15K Turret Drag Winches

2 Main Winches and 1 - 35K Belly Drag



For customers who may want to add the dual turret winches at a later date, factory provisions can be added on a new unit, contact the factory for details.



# Provisions - Turret Drag Winches


Turret Drag Provisions give you the mounting plates, plumbed hydraulic lines and boom end weldment (not the boom end swivels).

1140 – 124004201

1060S, 1150 – 124004189

1075S/1150 – 124004188

Requires Appropriate Controls



Turret Provisions give you everything but the Winches, Cables and Boom End Swivels.

# 1130 25K Belly Drag Winch

Requires appropriate controls



35K Also Available

# Belly Drag Options

35K – 124002628

1130-1075

Requires Appropriate Controls



50K – 124002623

1140, 1150, 1060S and 1075S Only

Requires Appropriate Controls



# Dual 35K Belly Drag Winches


124002600

Requires appropriate controls-1060S/1075S Only



# Dual H – Belly Drag Options

Single 50K



Dual 35K




# 1140 RXP



Note new toolbox under legs-now standard (1 each side)

# Rotator D-Ring Package

124004461 (9 pieces total) (1140, 1150, 1060S/1075S2/1075S only)




Chrome D-rings shown are additional cost

Note-this replaces 124002750, 124002762, and (2 qty)124002413

# Rotator Tailboard Options

Diamond Plate Tailboard Alum Pkg 124002595  
Smooth Plate Tailboard Alum Pkg 124004185



Standard D-Rings

(Additional D-rings included in 124004461 shown)



# 1130 & 1140 Underlifts

Standard LDU

139" Reach



Optional LDU Lowrider

148.5" Reach



Optional on 1130 and 1140 as 124004202

# SDU-4 – 143.5” Reach

Standard on 1150S, 1060, 1060S, 1075S2, 1075S

Optional on the 1140 - 124004192

Not available on the 1130



# SDU-4 Lowrider – 165.5” Reach

Optional on 1150, 1060, 1060S, 1075S2

Optional on the 1140 - 124004191

Not available on the 1130



# HHU – 135” Reach

Standard on 1075S Dual H-beam



# HHU Lowrider – 141” Reach

Optional on 1075S Dual H-beam



HHU Street and Coach Versions Available

# H-Beam Front Outriggers

Optional on All Rotators

3-Stage (262")– 1140, 1150, 1060S, 1075s - 124004152

2-Stage (212") – 1130 and 1140 - 124004151



Note holes that allow legs to be pinned fully in or out during a side pull

# Rotator 4-Stage Rear Outriggers

Standard – 1150, 1150R, 1140, 1060S, 1075S



Not available on 1130, 1130 comes with 3-Stage Version

# H-Beam End Dress Up Kit (pr)

124004532





# H-Beam Large Foot Upgrade

124004544 Dual H-Beam  
124004545 Front H-Beam Only  
124004604 – for Enlarged Pad



# Rotator Front Large Foot Upgrade

124002691 (each)(Top Beam Outriggers)  
Does not Fit H-Beam Enlarged Pad



# H-Beam Spade Attachment

124004175 (each) (H-Beam Low Outriggers)

Will not work with Enlarged Pad Option




Note Product Feature of H-Beam Low Outriggers, Standard Tieback Lug for Screw-Pin Shackle  
Shackle not included

# Rotator Winch-Bucket Alum Dress-Up

Diamond Plate 124002788

Smooth 124004110

For 1060S and 1075S



Includes 5 pieces

# Rotator Winch Bucket Aluminum Dress Up Kit

Smooth 124004210 1130, 1140

Smooth 124004672 1150



Includes 5 pieces

# Narrow Battery Box

124002763



# Updated Standard Features


# 5x5 Fabricated Crossbar

5130 and Larger, including LDU and SDU-4





# Larger Tethers on Pins



# Xylan Coated Pins



Xylan pins are used on 3212 and larger units.

Xylan coatings provide lubrication and controlled friction, wear resistance, heat resistance, nonstick and release properties and, at the same time, can also protect from corrosion.

Xylan pins do not eliminate the need for grease.

# 2.5 Degree, 4-Stage Rear Outriggers



# **Retrofittable features for Older Units**

# Underlift Heel Protection Plate

Now standard Part Numbers for Retrofit



124004464 - 14" Wide -  
SDU4 and Coach Lowriders (7035, 9055, HHU, and SDU4)

124004465 - 9 1/2" - Wide - 4024

124004466 - 10 1/2" Wide - 5130, 5230, 7035, HHU

124004467 - 17" Wide - Street Lowriders (7035, 9055)

124004468 - 12" Wide - 9055, Vulcan

# SDU Tilt Cylinder Remote Lube

Retrofit Kit 124003026

